

Source Pathway - Source Inputs

AERMOD

Point Sources

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P101	658807.35	259725.52	132.00	14.00	0.00E+0	293.00	1.46	0.39
POINT	P102	658824.84	259709.08	132.00	14.00	0.00E+0	293.00	0.73	0.57
POINT	P103	658822.04	259705.75	132.00	14.00	0.00E+0	293.00	1.19	0.57
POINT	P104	658968.88	259369.03	133.00	30.00	0.00E+0	293.00	11.76	0.57
POINT	P106	658933.86	259306.22	133.00	31.70	0.00E+0	293.00	9.82	0.28
POINT	P108	658920.14	259312.19	133.00	42.00	0.00E+0	293.00	21.16	2.84
POINT	P109	658777.05	259537.00	131.76	5.00	0.05000	293.00	12.99	0.38
POINT	P112	658514.55	259409.30	131.00	11.50	0.00667	293.00	17.32	0.39
POINT	P113	658520.87	259405.16	131.00	11.50	0.00E+0	293.00	17.32	0.39
POINT	P114	658491.01	259326.08	131.00	28.00	0.00E+0	293.00	32.39	0.28
POINT	P115	658487.07	259320.66	131.00	28.00	0.00E+0	293.00	32.39	0.28
POINT	P116	658908.53	259288.69	133.00	22.00	0.00E+0	293.00	20.61	0.28

Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P117	658911.84	259285.95	133.00	22.00	0.00E+0	293.00	20.61	0.28
POINT	P118	658886.30	259249.55	132.40	1.10	0.00E+0	293.00	0.00	0.00
POINT	P119	658884.86	259247.70	132.36	1.10	0.00E+0	293.00	0.00	0.00
POINT	P120	658733.91	259617.59	129.78	1.10	0.00E+0	293.00	0.00	0.00
POINT	P121	658736.91	259621.14	129.89	2.80	0.00E+0	293.00	0.00	0.01
POINT	P122	658738.82	259624.14	129.98	2.80	0.00E+0	293.00	0.00	0.01
POINT	P123	658493.64	259482.00	129.91	2.80	0.00E+0	293.00	0.00	0.01
POINT	P124	658496.93	259479.14	130.00	2.80	0.00E+0	293.00	0.00	0.01
POINT	P125	658502.64	259475.19	130.13	44.00	0.00E+0	293.00	23.09	3.46
POINT	P126	658507.47	259470.36	130.29	14.00	0.00E+0	293.00	2.50	0.30
POINT	P127	658883.83	259256.15	132.32	14.00	0.00E+0	293.00	2.69	0.30
POINT	P128	658850.90	259694.91	132.00	14.00	0.00E+0	293.00	2.70	0.30
POINT	P129	658846.01	259688.79	132.00	14.00	0.00E+0	293.00	2.40	0.30

Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P130	658832.54	259694.38	132.00	14.00	0.00E+0	293.00	1.97	0.30
POINT	P131	658829.91	259690.54	132.00	11.00	0.01833	293.00	32.33	0.57
POINT	P132	658826.94	259686.69	132.00	9.00	0.00E+0	293.00	67.20	0.06
POINT	P133	658476.60	259024.36	136.00	8.00	0.00E+0	293.00	67.20	0.06
POINT	P134	658755.43	259176.54	135.96	8.00	0.06667	293.00	41.93	0.16
POINT	P135	658760.77	259173.25	135.82	8.00	0.06667	293.00	41.93	0.16
POINT	P136	658727.86	258896.56	137.00	11.00	0.10833	293.00	24.51	0.44
POINT	P137	658731.65	258893.85	137.00	11.00	0.10833	293.00	24.51	0.44
POINT	P138	658677.24	258933.87	137.00	11.00	0.10833	293.00	24.51	0.44
POINT	P139	658682.33	258930.34	137.00	11.00	0.10833	293.00	24.51	0.44
POINT	P140	658687.23	258927.21	137.00	11.00	0.10833	293.00	24.51	0.44
POINT	P141	658272.47	258901.37	136.94	11.00	0.10833	293.00	24.51	0.44
POINT	P142	658278.21	258897.70	137.00	31.00	0.00E+0	293.00	2.45	0.20

Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P143	658283.10	258893.30	137.00	31.00	0.00E+0	293.00	2.45	0.20
POINT	P144	658472.95	259122.73	134.47	31.00	0.00E+0	293.00	2.45	0.20
POINT	P145	658471.09	259125.96	134.32	31.00	0.00E+0	293.00	1.02	0.49
POINT	P146	658467.70	259126.81	134.45	31.00	0.00E+0	293.00	1.02	0.49
POINT	P147	658464.81	259133.08	134.07	26.00	0.00E+0	293.00	17.34	3.46
POINT	P148	658460.57	259136.47	133.97	22.00	0.00E+0	293.00	13.98	1.11
POINT	P149	658689.64	259078.68	137.00	22.00	0.00E+0	293.00	13.98	1.11
POINT	P150	659025.30	259409.18	133.04	11.00	0.00E+0	293.00	12.23	0.64
POINT	P151	659022.62	259405.35	133.00	11.00	0.00E+0	293.00	12.23	0.64
POINT	P152	659038.96	259391.06	133.49	22.00	0.00E+0	293.00	10.90	0.56
POINT	P153	659044.83	259385.57	133.69	22.00	0.00E+0	293.00	10.90	0.56
POINT	P154	659005.39	259382.30	133.00	11.00	0.00E+0	293.00	15.16	0.38
POINT	P155	659002.49	259379.05	133.00	11.00	0.00E+0	293.00	15.16	0.38

Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P156	659034.40	259381.14	133.34	22.00	0.00E+0	293.00	11.24	1.11
POINT	P157	659041.59	259375.80	133.58	22.00	0.00E+0	293.00	11.24	1.11
POINT	P158	658994.95	259369.30	133.00	22.00	0.00E+0	293.00	16.95	0.44
POINT	P159	658992.63	259366.40	133.00	22.00	0.00E+0	293.00	16.95	0.44
POINT	P160	659027.68	259408.86	133.12	22.00	0.00E+0	293.00	20.72	0.44
POINT	P161	659025.71	259406.44	133.05	22.00	0.00E+0	293.00	20.72	0.44
POINT	P162	659023.83	259403.76	133.00	22.00	0.00E+0	293.00	20.72	0.44
POINT	P163	659021.41	259400.98	133.00	22.00	0.00E+0	293.00	15.51	0.44
POINT	P164	659019.17	259398.12	133.00	22.00	0.00E+0	293.00	15.51	0.44
POINT	P165	659014.56	259393.67	133.00	22.00	0.00E+0	293.00	5.71	0.44
POINT	P166	659011.89	259390.65	133.00	22.00	0.00E+0	293.00	5.71	0.44
POINT	P167	658818.49	259556.42	132.08	10.50	0.00E+0	293.00	4.72	0.07
POINT	P168	658815.72	259553.18	132.02	10.50	0.00E+0	293.00	94.43	0.07

Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P169	658817.66	259319.43	132.00	6.40	0.00E+0	293.00	74.07	0.18
POINT	P170	659047.17	259575.53	134.00	6.40	0.00E+0	293.00	11.59	0.93
POINT	P171	659011.98	259453.94	133.00	24.50	0.00E+0	293.00	1.23	0.09
POINT	P172	659110.01	259377.41	134.00	9.40	0.00E+0	293.00	1.39	1.08
POINT	P173	658976.39	259373.25	133.00	7.30	0.00E+0	293.00	5.97	0.13
POINT	P174	658983.04	259163.83	134.00	9.50	0.00E+0	293.00	7.08	0.07
POINT	P175	659156.69	259458.47	134.00	9.40	0.00E+0	293.00	11.11	0.36
POINT	P176	658792.76	259536.85	132.00	1.00	0.00E+0	293.00	9.26	0.36
POINT	P177	658924.76	259615.09	133.00	1.00	0.00E+0	293.00	9.26	0.36
POINT	P178	658798.77	259544.25	132.00	1.00	0.00E+0	293.00	9.26	0.36
POINT	P183	658796.62	259540.39	132.00	22.00	0.00E+0	293.00	20.72	0.44
POINT	P184	658790.92	259534.39	132.00	22.00	0.00E+0	293.00	20.72	0.44
POINT	P185	658929.94	259344.95	133.00	22.00	0.00E+0	293.00	20.72	0.44

Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P186	658927.71	259342.00	133.00	22.00	0.00E+0	293.00	23.23	0.44
POINT	P187	658925.47	259339.41	133.00	22.00	0.00E+0	293.00	23.23	0.44
POINT	P188	658954.65	259376.55	133.00	1.00	0.00E+0	293.00	16.33	0.44
POINT	P189	658952.68	259373.50	133.00	1.00	0.00E+0	293.00	16.33	0.44
POINT	P190	658742.22	259471.70	130.60	1.00	0.00E+0	293.00	15.26	0.22
POINT	P191	658739.56	259467.71	130.51	1.00	0.00E+0	293.00	15.26	0.22
POINT	P192	658757.90	259492.70	131.12	1.00	0.00E+0	293.00	13.42	0.25
POINT	P193	658755.09	259487.82	131.03	1.00	0.00E+0	293.00	15.26	0.22
POINT	P194	658734.83	259461.65	130.35	22.00	0.00E+0	293.00	18.84	0.44
POINT	P195	658731.43	259456.91	130.24	22.00	0.00E+0	293.00	18.84	0.44
POINT	P196	658938.54	259355.16	133.00	22.00	0.00E+0	293.00	13.83	0.90
POINT	P197	658936.12	259352.47	133.00	22.00	0.00E+0	293.00	13.83	0.90
POINT	P198	658911.40	259327.48	133.00	22.00	0.00E+0	293.00	13.83	0.90

Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P199	658909.56	259324.42	133.00	22.00	0.00E+0	293.00	13.83	0.90
POINT	P200	658906.49	259320.61	133.00	22.00	0.00E+0	293.00	13.83	0.90
POINT	P201	658913.49	259320.00	133.00	9.40	0.00E+0	293.00	6.94	0.36
POINT	P202	658910.79	259316.31	133.00	9.40	0.00E+0	293.00	6.94	0.36
POINT	P203	659021.08	259557.17	133.54	9.40	0.00E+0	293.00	6.94	0.36
POINT	P204	659018.87	259554.08	133.41	11.00	0.00E+0	293.00	3.61	0.38
POINT	P205	659039.87	259544.35	133.61	11.00	0.00E+0	293.00	3.61	0.38
POINT	P206	658953.95	259282.59	133.00	11.00	0.00E+0	293.00	3.61	0.38
POINT	P207	658951.36	259279.25	133.00	11.00	0.00E+0	293.00	3.61	0.38
POINT	P208	658959.14	259279.06	133.00	10.00	0.00E+0	293.00	4.17	0.16
POINT	P209	658956.92	259275.36	133.00	8.90	0.00E+0	293.00	15.63	0.16
POINT	P210	659053.14	259570.22	134.00	7.00	0.00E+0	293.00	16.93	0.56
POINT	P211	658910.20	259595.68	133.00	7.00	0.00E+0	293.00	16.93	0.56

Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P212	658867.75	259263.78	132.04	1.00	0.00E+0	293.00	14.01	0.28
POINT	P213	658864.86	259266.04	132.03	1.00	0.00E+0	293.00	14.01	0.28
POINT	P214	658716.79	259438.72	130.26	20.00	0.00E+0	293.00	21.43	0.70
POINT	P215	658714.12	259435.03	130.31	20.00	0.00E+0	293.00	21.43	0.70
POINT	P216	658905.27	259294.09	133.00	20.00	0.00E+0	293.00	21.43	0.70
POINT	P217	658907.35	259296.67	133.00	3.50	0.00E+0	293.00	1.56	0.96
POINT	P218	658909.81	259299.74	133.00	3.50	0.00E+0	293.00	2.55	0.20
POINT	P219	658947.51	259184.98	133.89	3.50	0.00E+0	293.00	2.55	0.20
POINT	P220	658786.91	259529.92	132.00	10.60	0.00E+0	293.00	4.26	1.00
POINT	P221	658788.76	259531.77	132.00	10.65	0.00E+0	293.00	15.97	0.08
POINT	P222	658735.45	259249.56	132.49	5.00	0.00E+0	293.00	11.78	0.28
POINT	P223	658644.68	259407.69	132.38	10.00	0.00100	293.00	3.55	0.28
POINT	P224	658608.39	259094.00	132.24	24.70	0.00E+0	293.00	12.42	0.50

Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P225	658550.67	259436.57	131.00	24.70	0.00E+0	293.00	12.42	0.50
POINT	P226	658850.51	259103.73	136.00	24.70	0.00E+0	293.00	9.84	0.96
POINT	P227	658845.58	259107.67	136.00	24.70	0.00E+0	293.00	9.84	0.96
POINT	P230	658872.18	259085.99	136.11	22.00	0.00E+0	293.00	12.50	0.80
POINT	P231	658877.11	259083.04	136.18	22.00	0.00E+0	293.00	12.50	0.80
POINT	P232	658818.64	259132.97	135.93	22.00	0.00E+0	293.00	16.32	0.43
POINT	P233	658823.57	259130.01	135.89	22.00	0.00E+0	293.00	16.32	0.43
POINT	P234	658894.19	259073.18	136.18	22.00	0.00E+0	293.00	16.32	0.43
POINT	P235	658890.58	259076.47	136.19	11.60	0.00E+0	293.00	16.35	0.56
POINT	P236	658886.97	259078.77	136.20	11.60	0.00E+0	293.00	16.35	0.56
POINT	P237	658810.43	259041.32	137.00	11.60	0.00E+0	293.00	16.35	0.56
POINT	P238	658815.36	259037.71	137.00	26.00	0.00E+0	293.00	17.34	3.46
POINT	P239	658818.97	259034.42	137.00	26.00	0.00E+0	293.00	17.34	3.46

Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P240	658696.22	259088.34	137.00	11.60	0.00E+0	293.00	14.70	0.45
POINT	P241	658704.85	259097.59	137.00	11.60	0.00E+0	293.00	14.70	0.45
POINT	P242	658733.93	258891.52	137.00	11.60	0.00E+0	293.00	14.70	0.45
POINT	P243	658738.53	258888.90	137.00	2.00	0.00E+0	293.00	5.79	0.24
POINT	P244	658741.48	258885.94	137.00	2.00	0.00E+0	293.00	5.79	0.24
POINT	P245	658565.15	258965.26	136.09	11.20	0.00E+0	293.00	3.57	0.07
POINT	P246	658561.87	258960.34	136.17	11.20	0.00E+0	293.00	3.57	0.07
POINT	P247	658630.38	258929.95	137.00	11.20	0.00E+0	293.00	3.57	0.07
POINT	P248	658626.27	258933.48	137.00	11.20	0.00E+0	293.00	3.57	0.07
POINT	P249	658621.96	258936.42	137.00	11.20	0.00E+0	293.00	3.57	0.07
POINT	P250	658608.82	258947.40	137.00	11.20	0.00E+0	293.00	3.57	0.07
POINT	P251	658613.13	258943.67	137.00	11.60	0.00E+0	293.00	16.35	0.56
POINT	P252	658617.45	258940.14	137.00	11.60	0.00E+0	293.00	16.35	0.56

Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P253	658825.21	259029.50	137.00	11.60	0.00E+0	293.00	16.35	0.56
POINT	P254	658829.81	259026.21	137.00	24.00	0.00E+0	293.00	16.35	0.56
POINT	P255	658833.75	259023.58	137.00	24.00	0.00E+0	293.00	16.35	0.56
POINT	P256	658855.10	258989.09	137.00	24.00	0.00E+0	293.00	16.35	0.56
POINT	P257	658859.37	258985.48	137.00	8.60	0.00E+0	293.00	8.10	0.24
POINT	P258	658864.30	258982.85	137.00	8.60	0.00E+0	293.00	8.10	0.24
POINT	P259	658420.75	258715.64	136.49	1.00	0.00E+0	293.00	5.44	0.24
POINT	P260	658417.01	258710.30	136.28	11.20	0.00E+0	293.00	7.14	0.07
POINT	P261	658408.73	258671.56	136.47	11.20	0.00E+0	293.00	7.14	0.07
POINT	P262	658493.72	258723.62	137.00	11.20	0.00E+0	293.00	7.14	0.07
POINT	P263	658469.33	258742.00	137.00	11.20	0.00E+0	293.00	7.14	0.07
POINT	P264	658471.85	258740.00	137.00	11.20	0.00E+0	293.00	7.14	0.07
POINT	P265	658474.89	258738.20	137.00	11.20	0.00E+0	293.00	7.14	0.07

Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P266	658477.25	258736.40	137.00	11.20	0.00E+0	293.00	7.14	0.07
POINT	P267	658486.38	258728.93	137.00	11.20	0.00E+0	293.00	7.14	0.07
POINT	P268	658488.73	258727.27	137.00	11.20	0.00E+0	293.00	7.14	0.07
POINT	P269	658491.09	258724.92	137.00	11.20	0.00E+0	293.00	7.14	0.07
POINT	P270	658509.95	258710.53	137.00	11.20	0.00E+0	293.00	7.14	0.07
POINT	P271	658512.46	258708.27	137.00	11.20	0.00E+0	293.00	7.14	0.07
POINT	P272	658514.98	258706.51	137.00	11.20	0.00E+0	293.00	7.14	0.07
POINT	P273	658517.75	258703.87	137.00	11.20	0.00E+0	293.00	7.14	0.07
POINT	P274	658524.92	258698.96	137.00	11.20	0.00E+0	293.00	7.14	0.07
POINT	P275	658527.44	258697.07	137.00	11.20	0.00E+0	293.00	7.14	0.07
POINT	P276	658529.33	258695.06	137.00	3.00	0.00E+0	293.00	7.14	0.07
POINT	P277	658531.97	258693.42	137.00	3.00	0.00E+0	293.00	7.14	0.07
POINT	P278	658156.07	258897.44	136.00	3.00	0.00E+0	293.00	7.14	0.07

Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P279	658150.41	258901.85	136.00	3.00	0.00E+0	293.00	7.14	0.07
POINT	P280	658145.17	258905.83	136.00	3.00	0.00E+0	293.00	7.14	0.07
POINT	P281	658139.72	258909.18	136.00	3.00	0.00E+0	293.00	7.14	0.07
POINT	P282	658222.30	258839.60	136.00	3.00	0.00E+0	293.00	7.14	0.07
POINT	P283	658216.85	258844.42	136.00	3.00	0.00E+0	293.00	7.14	0.07
POINT	P284	658319.34	258761.63	136.00	25.00	0.00E+0	293.00	9.38	0.80
POINT	P285	658314.31	258764.36	136.00	25.00	0.00E+0	293.00	9.38	0.80
POINT	P286	658258.28	258909.93	136.48	31.00	0.00E+0	293.00	0.63	0.79
POINT	P287	658254.37	258905.16	136.34	31.00	0.00E+0	293.00	0.63	0.79
POINT	P288	658454.30	259141.22	133.79	22.00	0.00E+0	293.00	40.68	0.28
POINT	P289	658449.89	259144.28	133.85	22.00	0.00E+0	293.00	40.68	0.28
POINT	P290	658369.21	259078.82	136.00	5.00	0.00E+0	293.00	38.21	0.20
POINT	P291	658374.19	259075.50	136.00	5.00	0.00E+0	293.00	38.21	0.20

Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P292	658643.22	259537.28	129.00	22.00	0.00E+0	293.00	0.00	0.28
POINT	P293	658341.80	259151.48	136.00	9.00	0.00E+0	293.00	0.00	0.03
POINT	P294	658770.21	259587.02	131.26	5.00	0.00250	293.00	8.83	0.28
POINT	P295	659153.41	259202.59	134.99	26.00	0.00E+0	293.00	14.88	0.28
POINT	P296	659079.07	259623.21	134.00	0.00	0.00E+0	293.00	17.34	3.46
POINT	P297	658752.14	259180.24	135.96	0.00	0.00E+0	293.00	17.34	3.46
POINT	P298	658712.46	259105.20	137.00	24.70	0.00E+0	293.00	12.42	0.50
POINT	P299	658719.45	259116.92	137.00	24.70	0.00E+0	293.00	12.42	0.50
POINT	P300	658800.91	259140.52	136.00	11.60	0.00E+0	293.00	16.35	0.56
POINT	P301	658942.81	259042.96	136.67	11.60	0.00E+0	293.00	16.35	0.56
POINT	P302	658860.20	258959.80	137.00	11.60	0.00E+0	293.00	16.35	0.56
POINT	P303	658862.53	258962.67	137.00	11.60	0.00E+0	293.00	16.35	0.56
POINT	P304	658865.21	258965.54	137.00	11.60	0.00E+0	293.00	16.35	0.56

Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P305	658868.08	258969.12	137.00	11.60	0.00E+0	293.00	16.35	0.56
POINT	P306	658865.21	258954.61	137.00	11.60	0.00E+0	293.00	16.35	0.56
POINT	P307	658868.62	258959.09	137.00	11.60	0.00E+0	293.00	16.35	0.56
POINT	P308	658870.95	258961.77	137.00	11.20	0.00E+0	293.00	3.75	0.80
POINT	P309	658873.81	258965.00	137.00	11.20	0.00E+0	293.00	3.75	0.80
POINT	P310	658725.50	259086.17	137.00	11.60	0.00E+0	293.00	14.81	0.45
POINT	P311	658909.35	258950.02	137.00	11.60	0.00E+0	293.00	14.81	0.45
POINT	P312	658746.07	258882.99	137.00	11.60	0.00E+0	293.00	14.81	0.45
POINT	P313	658750.99	258880.04	137.00	11.60	0.00002	293.00	14.44	0.75
POINT	P314	658755.75	258876.43	137.00	11.60	0.00002	293.00	14.44	0.75
POINT	P315	658588.91	258703.15	137.00	11.20	0.00E+0	293.00	7.14	0.70
POINT	P316	658582.87	258708.30	137.00	11.20	0.00E+0	293.00	7.14	0.70
POINT	P317	658618.93	258702.97	137.00	3.00	0.00E+0	293.00	2.55	0.20

Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P318	658620.35	258701.27	137.00	3.00	0.00E+0	293.00	2.55	0.20
POINT	P319	658279.36	259096.62	136.00	3.00	0.00E+0	293.00	2.55	0.20
POINT	P320	658280.69	259100.59	136.00	3.00	0.00E+0	293.00	2.55	0.20
POINT	P325	658501.42	258916.05	137.52	11.00	0.00004	293.00	14.44	0.75
POINT	P326	658504.07	258920.03	137.46	11.00	0.00004	293.00	14.44	0.75
POINT	P327	658454.98	258945.98	141.78	11.00	0.00E+0	293.00	14.44	0.75
POINT	P328	658459.35	258943.22	141.71	31.00	0.00E+0	293.00	0.63	0.79
POINT	P329	658463.94	258940.01	141.59	31.00	0.00E+0	293.00	0.63	0.79
POINT	P330	658443.95	259148.69	134.06	31.00	0.00E+0	293.00	0.63	0.79
POINT	P331	658439.37	259152.76	134.18	11.00	0.10000	293.00	11.55	0.87
POINT	P332	658436.02	259153.85	134.41	11.00	0.10000	293.00	11.55	0.87
POINT	P333	658382.35	258815.74	137.00	11.00	0.00E+0	293.00	11.55	0.87
POINT	P334	658387.41	258811.05	137.00	22.00	0.00E+0	293.00	12.50	0.80

Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P335	658392.83	258807.08	137.00	22.00	0.00E+0	293.00	12.50	0.80
POINT	P336	658801.38	259147.43	136.00	22.00	0.00E+0	293.00	12.50	0.80
POINT	P337	658796.19	259151.06	135.94	22.00	0.00E+0	293.00	12.50	0.80
POINT	P338	658936.93	259038.36	136.72	20.50	0.00E+0	293.00	7.14	0.42
POINT	P339	658931.22	259041.48	136.59	20.50	0.00E+0	293.00	7.14	0.42
POINT	P340	658631.39	258693.00	137.00	11.60	0.00E+0	293.00	14.86	0.56
POINT	P341	658637.72	258688.30	137.00	11.60	0.00E+0	293.00	14.86	0.56
POINT	P342	658873.94	258973.28	137.00	11.60	0.00E+0	293.00	14.86	0.56
POINT	P66	658872.35	258971.05	137.00	30.00	0.00E+0	293.00	10.48	0.64
POINT	P68	658870.02	258968.82	137.00	30.00	0.06667	293.00	11.22	0.59
POINT	P69	658992.94	259390.24	133.00	30.00	0.00E+0	293.00	11.22	0.59
POINT	P71	659019.52	259413.14	133.00	7.60	0.01117	293.00	11.75	0.95
POINT	P72	659017.11	259409.60	133.00	7.60	0.00E+0	293.00	11.75	0.95

Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P74	658716.49	259601.38	129.91	14.00	0.00E+0	293.00	1.96	0.39
POINT	P75	658737.20	259585.18	130.20	14.00	0.00E+0	293.00	1.87	0.39
POINT	P76	658796.50	259712.05	132.00	14.00	0.00E+0	293.00	1.69	0.39
POINT	P77	658803.50	259720.97	132.00	5.00	0.05000	293.00	12.99	0.39
POINT	P78	658800.18	259716.07	132.00	5.00	0.05000	293.00	12.99	0.39
POINT	P81	658785.37	259547.63	132.00	12.50	0.00E+0	293.00	11.44	0.07
POINT	P82	658782.75	259543.94	131.95	12.50	0.00E+0	293.00	12.35	0.07
POINT	P83	658770.21	259647.34	131.82	12.50	0.00E+0	293.00	13.43	0.07
POINT	P84	658766.93	259643.24	131.69	12.60	0.00E+0	293.00	9.24	1.13
POINT	P85	658765.02	259640.24	131.60	11.80	0.00E+0	293.00	6.45	0.28
POINT	P86	658968.34	259347.19	133.00	11.80	0.00E+0	293.00	9.17	0.28
POINT	P87	658961.21	259339.73	133.00	11.80	0.00E+0	293.00	10.74	0.28
POINT	P88	658955.64	259332.37	133.00	11.80	0.00E+0	293.00	11.16	0.28

Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P89	658949.18	259324.62	133.00	30.00	0.06667	293.00	11.76	0.57
POINT	P90	658943.31	259317.36	133.00	30.00	0.06667	293.00	11.76	0.57
POINT	P91	658966.55	259366.25	133.00	5.95	0.05000	293.00	12.99	0.39
POINT	P92	658993.49	259382.28	133.00	5.20	0.00667	293.00	11.76	0.57
POINT	P95	658780.13	259540.86	131.87	50.00	0.00E+0	293.00	1.15	3.46
POINT	P98	659108.69	259607.48	134.00	5.00	0.00E+0	293.00	29.00	0.39